


DESIG	N P	DRAWN B	BY)	DART AEROSF HAWKESBURY, ONTA	
CHEC	KED	APPROVE	P	DRAWING NO.	REV. B
	017	1		D3303	SHEET 1 OF 4
DATE				TITLE	SCALE
	06.0	08.17		HEAD REST	1:3
REV	DATE			DESCRIPTION	N .
A	04.08.18			NEW ISSUE	
В	(06.08.17		UPDATED FLAT PATTERN TO ONE OPERATION USING OF	TO FORM PART IN FFSET DIE



D3303-041 HEAD REST


ITEM	QTY -041	P/N	DESCRIPTION
	X	D3303-041	HEAD REST
1	1	D3303-043	BRACKET ASSEMBLY
2	1	D3305-1	FOAM
3	1	D3306-041	COVER ASSEMBLY


NOTES

- 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACORDDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 2) COVER HEAD REST WITH D3306-041 COVER ASSEMBLY AS SHOWN
- 3) PART IS SYMMETRICAL AT CENTERLINE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) IDENTIFY AS FOLLOWS USING FINE POINT PERMANENT INK MARKER:
 "TCCA-PDA, DART AEROSPACE LTD, P/N D3303-041 B/N BXXXXX, FOR PRODUCT
 ELIGIBILITY SEE PDA04-11"

COPYRIGHT © 2004 BY DART AEROSPACE LTD







D3303-043 BRACKET ASSEMBLY

ITEM	QTY -043	P/N	DESCRIPTION
	Х	D3303-043	BRACKET ASSEMBLY
1	1	D3303-1	PLATE
2	1	D3303-3	HEAD REST
3	4	MS21075L3	NUT PLATE
4	8	MS20426AD3-3	RIVET
5	16	MS20470AD4-4	RIVET


NOTES

- 1) FINISH: POWDER COAT ASSEMBLY GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

COPYRIGHT © 2004 BY DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AERO	
1		HAWKESBURY, ON	ITARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. B
PH		D3303	SHEET 3 OF 4
DATE		TITLE	SCALE
06.08.17		HEAD REST	1:2




D3303-1 PLATE


NOTES

- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK SHEET
- (REF. DART SPEC. M2024T3S.032)
 2) FINISH: CHEMICAL CONVERSION COAT AS PER DART QSI 005.4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



DESIGN DRAWN BY DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA APPROVED CHECKED DRAWING NO. REV. B D3303 SHEET 4 OF 4 DATE TITLE SCALE 06.08.17 **HEAD REST** 1:2





D3303-3 BRACKET BEND DETAIL

NOTES: 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK SHEET (REF. DART SPEC. M2024T3S.040)

2) FINISH: CHÈMICAL CONVERSION COAT AS PER **DART QSI 005.4.1**

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

5) BREAK ALL SHARP EDGES 0.005 TO 0.015

COPYRIGHT © 2004 BY DART AEROSPACE LTD

014 01414444	LI H			C+ - LO * CO C C L * + C * C			
DRAWING NO.	1		KEV. B	DAKI AEKOSPACE LID	D.E.O. NO.	SHEET NO.	SCALE
D3303	HEAD REST		1	ENGINEERING ORDER	D3303-B-1	SHEET 1 OF 1	NTS
DRAWN AJS		CHECKED	9	MFG. APPR.	APPROVED / / A	DE APPR.	
DATE 08.10.15	.15	DATE 08	08.10 15	DATE 08/10/16	DATE 05/10/14	DATE 08/10/16	

SHEET 1 ADD 1300L ADHESIVE BY 3M TO NOTE 1 AS FOLLOWS:

<u>::</u>

NOTES: 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 OR 1300L ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

WAS:

NOTES: 1) BOND D3305-1 FOAM TO D3303-043 BRACKET ASSEMBLY USING 3M 1300 ADHESIVE (0.002" TO 0.010" THICK) IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS

SEE NCR 08-069 FOR FURTHER DETAILS



COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS REVENSE AND CONFIDENTIAL AND IS SUPPLIED ON THE REVENSES COMPONED IT IN ONTO THE REVENSE ON COPIED OR COMMUNICATED TO ANY OTHER PERSON WITH